

**AMERICAN ACADEMY OF AMBULATORY CARE NURSING
CARE COORDINATION TRANSITION MANAGEMENT (CCTM) LITERATURE
REVIEW TEAM CITATION LIST**

1. Allen KR, Hazelett SE, Jarjoura D, Wright K, Fosnight SM, Kropp DJ, Hua K, Pfister EW. The after discharge care management of low income frail elderly (AD-LIFE) randomized trial: theoretical framework and study design.
2. Aubert RE, Herman WH, Waters J, Moore W, Sutton D, Peterson BL et al. Nurse case management to improve glycemic control in diabetic patients in a health maintenance organization. A randomized, controlled trial. *Ann Intern Med* 1998;129(8):605-12.
3. Bates DW. Getting in step: electronic health records and their role in care coordination. *J Gen Intern Med* 2010;25(3):174-6.
4. Béland F, Hollander MJ. Integrated models of care delivery for the frail elderly: international perspectives. Department of Health Administration, Faculty of Medicine, Université de Montréal, Montréal, Canada.
5. Berry D, Costanzo DM, Elliott B, Miller A, Miller JL, Quackenbush P, Su YP. Preventing avoidable hospitalizations. *Home Healthc Nurse*. 2011 Oct;29(9):540-9.
6. Bertakis, K. D., & Azari, R. (2011). Patient-centered care is associated with decreased health care utilization. *Journal of the American Board of Family Medicine*, 24(3), 229-239.
7. Bonomi AE, Wagner EH, Glasgow RE, VonKorff M. Assessment of chronic illness care (ACIC): a practical tool to measure quality improvement. *Health Serv Res* 2002;37(3):791-820.
8. Boulton C, Reider L, Frey K, Leff B, Boyd CM, Wolff JL et al. Early effects of "Guided Care" on the quality of health care for multimorbid older persons: a cluster-randomized controlled trial. *J Gerontol A Biol Sci Med Sci* 2008;63(3):321-7.
9. Boulton C, Reider L, Leff B, Frick KD, Boyd CM, Wolff JL et al. The effect of guided care teams on the use of health services: results from a cluster-randomized controlled trial. *Arch Intern Med* 2011;171(5):460-6.
10. Boyd CM, Boulton C, Shadmi E, Leff B, Brager R, Dunbar L et al. Guided care for multimorbid older adults. *Gerontologist* 2007;47(5):697-704.
11. Boyd, C.M., Reider, L. Frey, K., Scharfstein, D., Leff, B, Wolff, J., Groves, C., Karm, L. Wegmann, S., Marsteller, J. & Boulton, C. (2009). The effect of guided care on the perceived quality of health care for multi-morbid older persons: 18 month outcomes from a cluster-randomized controlled trial. *Journal of General Internal Medicine*, 25 (3), 235-242.

12. Brandt, S., Hartmann, J., &Hehner, S. (2010). How to design a successful disease management program.*The McKinsey Quarterly*(October 2010).
13. Carrier, E., Reschovsky J. Expectations outpace reality: physicians' use of care management tools for patients with chronic conditions. *Aust J Rural Health*. 2011 Dec;19(6):324-8. doi: 10.1111/j.1440-1584.2011.01236.x.
14. Cibulskis CC, Giardino AP, Moyer VA. Care transitions from inpatient to outpatient settings: ongoing challenges and emerging best practices. *Hosp Pract* (Minneap) 2011;39(3):128-39.
15. Coleman, E. (2006). The care transitions intervention: Results if a randomized controlled trial. *Archives Internal Medicine*, 166, 1822-1828.
16. Coleman EA, Mahoney E, Parry C. Assessing the quality of preparation for posthospital care from the patient's perspective: the care transitions measure. *Med Care* 2005;43(3):246-55.
17. Coleman EA, Parry C, Chalmers SA, Chugh A, Mahoney E. The central role of performance measurement in improving the quality of transitional care. *Home Health Care Serv Q* 2007;26(4):93-104.
18. Coleman EA, Parry C, Chalmers S, Min SJ. The care transitions intervention: results of a randomized controlled trial. *Arch Intern Med* 2006;166(17):1822-8.
19. Craig, C., Eby, D., & Whittington, J. (2011). Care coordination model: better care at lower cost for people with multiple health and social needs. *IHI Innovation Series white paper*, from http://www.ihc.org/knowledge/Knowledge%20Center%20Assets/Pages%20-%20CareCoordinationModelBetterCareatLowerCostforPeoplewithMultipleHealthandSocialNeeds_58e1bba1-9069-4099-8ae9-f17aac484695/IHICareCoordinationModelWhitePaper2011.pdf
20. Dennison CR, Hughes S. Progress in prevention: imperative to improve care transitions for cardiovascular patients. *J Cardiovasc Nurs* 2009;24(3):249-51.
21. Epperly T. The patient-centred medical home in the USA. *J Eval Clin Pract*. 2011 Apr;17(2):373-5. doi: 10.1111/j.1365-2753.2010.01607.x. Epub 2011 Jan 11.
22. Epping-Jordan JE, Pruitt SD, Bengoa R, Wagner EH. Improving the quality of health care for chronic conditions. *Qual Saf Health Care* 2004;13(4):299-305.
23. Glasgow RE, Funnell MM, Bonomi AE, Davis C, Beckham V, Wagner EH. Self-management aspects of the improving chronic illness care breakthrough series: Implementation with diabetes and heart failure teams. *Ann Behav Med* 2002;24:80-7.

24. Grumbach, K., Bodenheimer, T., & Grundy, P. (2009). The outcomes of implementing patient-centered medical home interventions: A review of the evidence on quality, access and costs from recent prospective evaluation studies. UCSF Center for Excellence in Primary Care. <http://familymedicine.medschool.ucsf.edu/cepc/pdf/outcomes%20of%20pcmh%20for%20White%20House%20Aug%202009.pdf>
25. Gulley SP, Rasch EK, Chan L. If we build it, who will come? Working-age adults with chronic health care needs and the medical home. *Med Care*. 2011 Feb;49(2):149-55.
26. Katon, W. J., Lin, E. H., Von Korff, M., Ciechanowski, P., Ludman, E. J., Young, B., . . . McCulloch, D. (2010). Collaborative care for patients with depression and chronic illnesses. *New England Journal of Medicine*, 363(27), 2611-2620.
27. Katz MH, Brigham TM. Transforming a traditional safety net into a coordinated care system: lessons from healthy San Francisco. *Health Aff (Millwood)*. 2011 Feb;30(2):237-45.
28. Laughlin, C.B. and Beisel, M. (2010). Evolution of the chronic care role of the registered nurse in primary care. *Nursing Economics*, 28 (6), 409-414.
29. Leff B, Reider L, Frick KD, Scharfstein DO, Boyd CM, Frey K et al. Guided care and the cost of complex healthcare: a preliminary report. *Am J Manag Care* 2009;15(8):555-9.
30. Manderson B, McMurray J, Piraino E, Stolee P. Navigation roles support chronically ill older adults through healthcare transitions: a systematic review of the literature. *Health Soc Care Community*. 2011 Oct 13. doi: 10.1111/j.1365-2524.2011.01032.x. [Epub ahead of print]
31. Marek, K., Adams, S., Stetzer, F., Popejoy, L., & Rantz, M. (2010). The relationship of community based nurse care coordination to costs in the Medicare and Medicaid programs. *Research in Nursing and Health*, 33(235-242).
32. Motheral BR. Telephone-based disease management: Why it does not save money. *Am J Manag Care*. 2011 Jan;17(1):e10-6.
33. Muender MM, Moore ML, Chen GJ, Sevick MA. Cost-benefit of a nursing telephone intervention to reduce preterm and low-birthweight births in an African American clinic population. *Prev Med* 2000;30(4):271-6.
34. Naylor MD, Aiken LH, Kurtzman ET, Olds DM, Hirschman KB. The care span: The importance of transitional care in achieving health reform. *Health Aff (Millwood)* 2011;30(4):746-54.
35. Naylor MD, Bowles KH, McCauley KM, Maccoy MC, Maislin G, Pauly MV, Krakauer R. High-value transitional care: translation of research into practice. *J Eval Clin Pract*. 2011 Mar 16. doi: 10.1111/j.1365-2753.2011.01659.x. [Epub ahead of print]

36. Naylor, M.D., Brooten, D., Campbell, R., Jacobsen, B.S., Mezey, M.D., Pauly, M.V. & Schwartz, J.S. (1999). Comprehensive discharge planning and home follow-up of hospitalized elders: A randomized trial. *JAMA*, 281 (7),613-620.
37. Naylor, M. D., Brooten, D. A., Campbell, R. L., Maislin, G., McCauley, K. M., & Schwartz, J. S. (2004). Transitional Care of Older Adults Hospitalized with Heart Failure: A Randomized, Controlled Trial. *Journal of the American Geriatrics Society*, 52(5), 675-684.
38. O'Malley AS, Tynan A, Cohen GR, Kemper N, Davis MM. Coordination of care by primary care practices: strategies, lessons and implications. *Ann Intern Med*. 2005 Apr 19;142(8):700-8.
39. Peikes, D., Chen, A., Schore, J., & Brown, R. (2009). Effects of care coordination on hospitalization, quality of care, and health care expenditures among Medicare beneficiaries. *JAMA*, 301, 6, 603-618
40. Rantz, M., Phillips, L., Aud, M., Popejoy, L., Dorman-Marek, K., Hicks, L., . . . Miller, s. (2011). Evaluation of aging in place model with home care services and registered nurse care coordination in senior housing. *Nursing Outlook*, 59, 37-46.
41. Riegel B, Carlson B. Facilitators and barriers to heart failure self-care. *Patient Educ Couns* 2002;46(4):287-95.
42. Sanchez I. Implementation of a diabetes self-management education program in primary care for adults using shared medical appointments. *Diabetes Educ*. 2011 May-Jun;37(3):381-91. Epub 2011 Mar 31.
43. Schoen C, Osborn R, Squires D, Doty M, Pierson R, Applebaum S. New 2011 Survey Of Patients With Complex Care Needs In Eleven Countries Finds That Care Is Often Poorly Coordinated. Commonwealth Fund, in New York City. *J Healthc Qual*. 2011 Jan 11. doi: 10.1111/j.1945-1474.2010.00118.x. [Epub ahead of print]
44. Solet J, Norvell M et al. Lost in translation: Challenges and opportunities in physician-to-physician communication during patient handoffs. *Academic Medicine* 2005;80(12):1094-9.
45. Stille CJ, Jerant A, Bell D, Meltzer D, Elmore JG Coordinating care across diseases, settings, and clinicians: a key role for the generalist in practice.
46. Unutzer J, Powers D, Katon W, Langston C. From establishing an evidence-based practice to implementation in real-world settings: IMPACT as a case study. *Psychiatr Clin North Am* 2005;28(4):1079-92.
47. Uppal S, Jose J, Banks P, Mackay E, Coatesworth AP. Cost-effective analysis of conventional and nurse-led clinics for common otological procedures. *J Laryngol Otol* 2004;118(3):189-92.

48. Wagner EH. Chronic disease management: what will it take to improve care for chronic illness? *Eff Clin Pract* 1998;1(1):2-4.
49. Wagner EH. Meeting the needs of chronically ill people. *BMJ* 2001;323:945-6.
50. Wennberg, D.E., Marr, A., Lang,L., O'Malley,S., & Bennett, G. (2010). A randomized trial of a telephone care-management strategy, *NEJM*, 363 (13), 1245-1255.
51. Williams G, Akroyd K, Burke L. Evaluation of the transitional care model in chronic heart failure. *Br J Nurs*. 2010 Dec 9-2011 Jan 13;19(22):1402-7.
52. Zamora Z, McCall B, Patel L, Biese K, Lamantia M, Platts-Mills T, Naus N, Jerkewitz HP, Cairns CB, Busby-Whitehead J, Kizer JS. Implementation of a Web-Based System to Improve the Transitional Care of Older Adults. *J Nurs Care Qual*. 2011 Nov 1. [Epub ahead of print]
53. Nutt M, Hungerford C. Nurse care coordinators: definitions and scope of practice. *Contemporary Nurse*. 2010 (36): 71-81
54. Ehrlich C, Kendall E, Muenchberger H, Armstrong K. (2009) Coordinated care: what does that really mean? *Health Soc Care Community*. 2009 Nov;17(6):619-27.
55. Kruse R. *Nurse Care Coordination of Older Patients in an Academic Family Medicine Clinic: 5-Year Outcomes*. *JCOM*. May 2010, 209-215.
56. A closer look at nurse case management of community-dwelling older adults: observations from a longitudinal study of care coordination in the chronically ill.(includes abstract); Oliva NL; *Professional Case Management*, 2010 Mar-Apr; 15 (2): 90-100
57. A longitudinal study of health service utilization for diabetes patients in a care coordination home-telehealth programme.(includes abstract); Jia, Huanguang; Feng, Hua; Wang, Xinping; Wu, Samuel S; Chumbler, Neale; *Journal of Telemedicine & Telecare*, 2011; 17 (3): 123-6
58. A randomized controlled trial of telephone supported care coordination in patients with congestive heart failure. Wootton, Richard; Gramotnev, Helen; Hailey, David; *Journal of Telemedicine and Telecare*, Vol 15(4), 2009. pp. 182-186.
59. Achieving effective care coordination in the medical home. McAllister JW; Presler E; Turchi R; Antonelli RC; *Pediatric Annals*, 2009 Sep; 38 (9): 491-7
60. Are electronic medical records helpful for care coordination? Experiences of physician practices. O'Malley, Ann S.; Grossman, Joy M.; Cohen, Genna R.; Kemper, Nicole M.; Pham, Hoangmai H.; *Journal of General Internal Medicine*, Vol 25(3), Mar, 2010. pp. 177-185.
61. Care coordination for children with complex care needs significantly reduces hospital utilization.(includes abstract); Peter, Sue; Chaney, Gervase; Zappia, Theresa; Van Veldhuisen,

Corinne; Pereira, Sandra; Santamaria, Nick; Journal for Specialists in Pediatric Nursing, 2011 Oct; 16 (4): 305-12

62. Care coordination in a medical home in post-Katrina New Orleans: Lessons learned. Berry, Susan; Soltau, Eleanor; Richmond, Nicole E.; Kieltyka, R. Lyn; Tran, Tri; Williams, Arleen; Maternal and Child Health Journal, Vol 15(6), Aug, 2011. pp. 782-793.

63. Care coordination/home-telehealth for veterans with stroke and their caregivers: addressing an unmet need.(includes abstract); Lutz BJ; Chumbler NR; Roland K; Topics in Stroke Rehabilitation, 2007 Mar-Apr; 14 (2): 32-42

64. Care coordination: What is it, what are its effects and can it be sustained? Solberg, Leif I.; Family Practice, Vol 28(5), Oct, 2011. pp. 469.

65. Caring for the adult with sickle cell disease: results of a multidisciplinary pilot program.(includes abstract); Artz N; Whelan C; Feehan S; Journal of the National Medical Association, 2010 Nov; 102 (11): 1009-16

66. Chronic care improvement in primary care: Evaluation of an integrated pay-for-performance and practice-based care coordination program among elderly patients with diabetes. Fagan, Peter J.; Schuster, Alyson B.; Boyd, Cynthia; Marsteller, Jill A.; Griswold, Michael; Murphy, Shannon M. E.; Dunbar, Linda; Forrest, Christopher B.; Health Services Research, Vol 45(6, Pt1), Dec, 2010. pp. 1763-1782.

67. Chronic Disease Management for Depression in US Medical Practices: Results From the Health Tracking Physician Survey.(includes abstract); Zafar W; Mojtabai R; Medical Care, 2011 Jul; 49 (7): 634-40

68. Coordination of diabetes care in four delivery models using an electronic health record.(includes abstract); MacPhail LH; Neuwirth EB; Bellows J; Medical Care, 2009 Sep; 47 (9): 993-9

69. Discharge planning, transitional care, coordination of care, and continuity of care: clarifying concepts and terms from the hospital perspective.(includes abstract); Holland DE; Harris MR; Home Health Care Services Quarterly, 2007; 26 (4): 3-19

70. Effectiveness of care coordination and health counseling in advancing illness.(includes abstract); Engelhardt JB; Rizzo VM; Penna RDD; Feigenbaum PA; Kirkland KA; Nicholson JS; O'Keeffe-Rosetti MC; Venohr IM; Reger PG; Tobin DR; American Journal of Managed Care, 2009 Nov; 15 (11): 817-25

71. Effects of nurse navigators on health outcomes of cancer patients.(includes abstract); Lee, Taewha; Ko, Ilsun; Lee, Insook; Kim, Eunhyun; Shin, Mikyong; Roh, Sunghoon; Yoon, Dongsup; Choi, Seungho; Chang, Hangseok; Cancer Nursing, 2011 Sep-Oct; 34 (5): 376-84

72. Effects of provider characteristics on care coordination under comanagement.Hinami K;

Whelan CT; Konetzka RT; Edelson DP; Casalino LP; Meltzer DO; Journal of Hospital Medicine, 2010 Nov; 5 (9): 508-13

73. Family, know thyself: A workbook-based intergenerational intervention to improve parent care coordination. Carpenter, Brian D.; Mulligan, Elizabeth A.; Clinical Gerontologist: The Journal of Aging and Mental Health, Vol 32(2), Apr, 2009. pp. 147-163.

74. Further application of the care transitions intervention: Results of a randomized controlled trial conducted in a fee-for-service setting. Parry, Carla; Min, Sung-Joon; Chugh, Amita; Chalmers, Sandra; Coleman, Eric A.; Home Health Care Services Quarterly: The Journal of Community Care, Vol 28(2-3), Apr, 2009. pp. 84-99.

75. Impact of a care coordination and support strategic partnership on clinical outcomes.(includes abstract); Engelhardt JB; Kisiel T; Nicholson J; Mulichak L; DeMatteis J; Tobin DR; Home Healthcare Nurse, 2008 Mar; 26 (3): 166-72

76. Implementation of the care transitions intervention: sustainability and lessons learned. (eng) By Parrish MM, O'Malley K, Adams RI, Adams SR, Coleman EA, Professional Case Management [Prof Case Manag], ISSN: 1932-8095, 2009 Nov-Dec; Vol. 14 (6), pp. 282-93

77. Improving nurse care coordination with technology.(includes abstract); Rantz, Marilyn J; Skubic, Marjorie; Alexander, Greg; Aud, Myra A; Wakefield, Bonnie J; Galambos, Colleen; Koopman, Richelle J; Miller, Steven J; CIN: Computers, Informatics, Nursing, 2010 Nov-Dec; 28 (6): 325-32

78. Mortality risk for diabetes patients in a care coordination, home-telehealth programme.(includes abstract); Chumbler NR; Chuang H; Wu SS; Wang X; Kobb R; Haggstrom D; Jia H; Journal of Telemedicine & Telecare, 2009; 15 (2): 98-101

79. Patient-reported care coordination: associations with primary care continuity and specialty care use.(includes abstract); Liss DT; Chubak J; Anderson ML; Saunders KW; Tuzzio L; Reid RJ; Annals of Family Medicine, 2011 Jul-Aug; 9 (4): 323-9

80. Quality indicators for continuity and coordination of care in vulnerable elders. Wenger NS; Young RT; Journal of the American Geriatrics Society, 2007 Oct; 55 (S2): Supplement: S285-92

81. The Care Coordination Home Telehealth (CCHT) rural demonstration project: a symptom-based approach for serving older veterans in remote geographical settings.(includes abstract); Luptak M; Dailey N; Juretic M; Rupper R; Hill RD; Hicken BL; Bair BD; Rural & Remote Health, 2010 Apr-Jun; 10 (2): 1375

82. The relationship of community-based nurse care coordination to costs in the Medicare and Medicaid programs.(includes abstract); Marek KD; Adams SJ; Stetzer F; Popejoy L; Rantz M; Research in Nursing & Health, 2010 Jun; 33 (3): 235-42

83. Tracking care coordination interventions for telehealth cardiac patients. Kline, Sheri E.; *Telemedicine and e-Health*, Vol 14(Suppl1), Mar, 2008. pp. 28
84. Allaudeen, N., Vidyarthi, A., Maselli, J., & Auerbach, A. (2011). Redefining readmission risk factors for general medicine patients. *Journal of Hospital Medicine (Online)*, 6(2), 54-60. doi:<http://dx.doi.org/10.1002/jhm.805>
85. Allen, K. R., Hazelett, S. E., Jarjoura, D., Wright, K., Fosnight, S. M., Kropp, D. J., et al. (2011). The after discharge care management of low income frail elderly (AD-LIFE) randomized trial: Theoretical framework and study design. *Population Health Management*, 14(3), 137-142. doi:<http://dx.doi.org/10.1089/pop.2010.0016>
86. Almaden, S., Freshman, B., & Quaye, B. (2011). Case management redesign in an urban facility. *Professional Case Management*, 16(4), 199-209. doi:<http://dx.doi.org/10.1097/NCM.0b013e31820d32e1>
87. Askren-Gonzalez, A., & Frater, J. (2012). Case management programs for hospital readmission prevention. *Professional Case Management*, 17(5), 219-226.
88. Barnason, S., Zimmerman, L., Nieveen, J., Schulz, P., & Young, L. (2012). Patient recovery and transitions after hospitalization for acute cardiac events: An integrative review. *Journal of Cardiovascular Nursing*, 27(2), 175-191. doi:<http://dx.doi.org/10.1097/JCN.0b013e318239f5f5>
89. Bray-Hall, S. T. (2012). Transitional care: Focusing on patient-centered outcomes and simplicity. *Annals of Internal Medicine*, 157(6), 448-449. doi:<http://dx.doi.org/10.7326/0003-4819-157-6-201209180-00010>
90. Cain, C. H., Neuwirth, E., Bellows, J., Zuber, C., & Green, J. (2012). Patient experiences of transitioning from hospital to home: An ethnographic quality improvement project. *Journal of Hospital Medicine (Online)*, 7(5), 382-387. doi:<http://dx.doi.org/10.1002/jhm.1918>
91. Caines, L. C., Brockmeyer, D. M., Tess, A. V., Kim, H., Kriegel, G., & Bates, C. K. (2011). The revolving door of resident continuity practice: Identifying gaps in transitions of care. *Journal of General Internal Medicine*, 26(9), 995-998. doi:<http://dx.doi.org/10.1007/s11606-011-1731-8>
92. Campagna, V. (2012). From acute care to postdischarge: Extending the reach of the multidisciplinary team. *Professional Case Management*, 17(6), 285-286. doi:<http://dx.doi.org/10.1097/NCM.0b013e31826c839d>
93. Carlisle, D. (2011). Electronic discharge: Don't leave empty handed. *Health Service Journal*, 121(6275), 24-25.
94. Cesta, T. (2011). Reducing readmissions: Case management's critical role. *Hospital Case Management*, 19(3), 39-42.

95. Cesta, T. (2012). Performing the necessary assessments. *Hospital Case Management*, 20(4), 57-58.
96. Chiang, L. C., Chen, W. C., Dai, Y. T., & Ho, Y. L. (2012). The effectiveness of telehealth care on caregiver burden, mastery of stress, and family function among family caregivers of heart failure patients: A quasi-experimental study. *International Journal of Nursing Studies*, 49(10), 1230-1242. doi:<http://dx.doi.org/10.1016/j.ijnurstu.2012.04.013>
97. Cibulskis, C. C., Giardino, A. P., & Moyer, V. A. (2011). Care transitions from inpatient to outpatient settings: Ongoing challenges and emerging best practices. *Hospital Practice (1995) Hospital Practice*, 39(3), 128; Aug-139. doi:<http://dx.doi.org/10.3810/hp.2011.08.588>
98. CM beyond hospital walls supports chronically ill.(2011). *Hospital Case Management*, 19(2), 23-25.
99. Coaching helps cut readmissions.(2011). *Hospital Case Management*, 19(10), 155-156.
100. Cochran, V. Y., Blair, B., Wissinger, L., & Nuss, T. D. (2012). Lessons learned from implementation of postdischarge telephone calls at baylor health care system. *Journal of Nursing Administration*, 42(1), 40-46. doi:<http://dx.doi.org/10.1097/NNA.0b013e31823c18c9>
101. Costa, L. L., Poe, S. S., & Lee, M. C. (2011). Challenges in posthospital care: Nurses as coaches for medication management. *Journal of Nursing Care Quality*, 26(3), 243-251. doi:<http://dx.doi.org/10.1097/NCQ.0b013e31820e1543>
102. Dossa, A., Bokhour, B., & Hoenig, H. (2012). Care transitions from the hospital to home for patients with mobility impairments: Patient and family caregiver experiences. *Rehabilitation Nursing Journal*, 37(6), 277-285. doi:<http://dx.doi.org/10.1002/rnj.047>
103. DuBard, C. A., Cockerham, J., & Jackson, C. (2012). Collaborative accountability for care transitions: The community care of north carolina transitions program. *North Carolina Medical Journal*, 73(1), 34-40.
104. Efthymiou, C. A., & O'Regan, D. J. (2011). Postdischarge complications: What exactly happens when the patient goes home?. *Interactive Cardiovascular & Thoracic Surgery*, 12(2), 130-134. doi:<http://dx.doi.org/10.1510/icvts.2010.249474>
105. Englander, H., & Kansagara, D. (2012). Planning and designing the care transitions innovation (C-train) for uninsured and medicaid patients. *Journal of Hospital Medicine (Online)*, 7(7), 524-529. doi:<http://dx.doi.org/10.1002/jhm.1926>
106. Evdokimoff, M. (2011). One home health agency's quality improvement project to decrease rehospitalizations: Utilizing a transitions model. *Home Healthcare Nurse*, 29(3), 180-193. doi:<http://dx.doi.org/10.1097/NHH.0b013e31820c158d>

107. Extend the discharge plan beyond hospital walls.(2012). *Hospital Case Management*, 20(7), 100-101.
108. Foust, J. B., Vuckovic, N., & Henriquez, E. (2012). Hospital to home health care transition: Patient, caregiver, and clinician perspectives. *Western Journal of Nursing Research*, 34(2), 194-212. doi:<http://dx.doi.org/10.1177/0193945911400448>
109. Geary, C. R., & Schumacher, K. L. (2012). Care transitions: Integrating transition theory and complexity science concepts. *Advances in Nursing Science*, 35(3), 236-248. doi:<http://dx.doi.org/10.1097/ANS.0b013e31826260a5>
110. Glasper, A. (2012). Planning optimum hospital discharge for older people. *British Journal of Nursing*, 21(22), 1352-1353.
111. Golden, A. G., Martin, S., da Silva, M., & Roos, B. A. (2011). Care management and the transition of older adults from a skilled nursing facility back into the community. *Care Management Journals*, 12(2), 54-59.
112. Gray, L. C., Peel, N. M., Crotty, M., Kurrle, S. E., Giles, L. C., & Cameron, I. D. (2012). How effective are programs at managing transition from hospital to home? A case study of the australian transition care program. *BMC Geriatrics*, 12, 6. doi:<http://dx.doi.org/10.1186/1471-2318-12-6>
113. Greysen, S. R., Allen, R., Lucas, G. I., Wang, E. A., & Rosenthal, M. S. (2012). Understanding transitions in care from hospital to homeless shelter: A mixed-methods, community-based participatory approach. *Journal of General Internal Medicine*, 27(11), 1484-1491. doi:<http://dx.doi.org/10.1007/s11606-012-2117-2>
114. Harrison, P. L., Hara, P. A., Pope, J. E., Young, M. C., & Rula, E. Y. (2011). The impact of postdischarge telephonic follow-up on hospital readmissions. *Population Health Management*, 14(1), 27-32. doi:<http://dx.doi.org/10.1089/pop.2009.0076>
115. Haynes, K. T., Oberne, A., Cawthon, C., & Kripalani, S. (2012). Pharmacists' recommendations to improve care transitions. *Annals of Pharmacotherapy*, 46(9), 1152-1159. doi:<http://dx.doi.org/10.1345/aph.1Q641>
116. Hesselink, G., Vernooij-Dassen, M., Pijnenborg, L., Barach, P., Gademan, P., Dudzik-Urbaniak, E., et al. (2013). Organizational culture: An important context for addressing and improving hospital to community patient discharge. *Medical Care*, 51(1), 90-98. doi:<http://dx.doi.org/10.1097/MLR.0b013e31827632ec>
117. Holland, D. E., & Hemann, M. A. (2011). Standardizing hospital discharge planning at the mayo clinic. *Joint Commission Journal on Quality & Patient Safety*, 37(1), 29-36.

118. Holland, D. E., Mistiaen, P., & Bowles, K. H. (2011). Problems and unmet needs of patients discharged "home to self-care". *Professional Case Management*, 16(5), 240-250. doi:<http://dx.doi.org/10.1097/NCM.0b013e31822361d8>
119. Hospitals, providers collaborate on transitions.(2012). *Hospital Case Management*, 20(1), 11-12.
120. Hull, A. M. (2012). Between hospital and home. *Hospitals & Health Networks*, 86(3), 14.
121. Kansagara, D., Ramsay, R. S., Labby, D., & Saha, S. (2012). Post-discharge intervention in vulnerable, chronically ill patients. *Journal of Hospital Medicine (Online)*, 7(2), 124-130. doi:<http://dx.doi.org/10.1002/jhm.941>
122. Kelly, M. M., & Penney, E. D. (2011). Collaboration of hospital case managers and home care liaisons when transitioning patients. *Professional Case Management*, 16(3), 128-136. doi:<http://dx.doi.org/10.1097/NCM.0b013e31820d66af>
123. Kim, C. S., & Flanders, S. A. (2013). In the clinic. transitions of care. *Annals of Internal Medicine*, 158(5 Pt 1), T3-1. doi:<http://dx.doi.org/10.7326/0003-4819-158-5-20130305-01003>
124. Lattimer, C., & Kathol, R. (2011). Introduction. integrated case management. *Journal of Ambulatory Care Management*, 34(2), 106-107. doi:<http://dx.doi.org/10.1097/01.JAC.0000396247.51353.02>
125. Lees, L. (2013). The key principles of effective discharge planning. *Nursing Times*, 109(3), 18-19.
126. Liss, D. T., Chubak, J., Anderson, M. L., Saunders, K. W., Tuzzio, L., & Reid, R. J. (2011). Patient-reported care coordination: Associations with primary care continuity and specialty care use. *Annals of Family Medicine*, 9(4), 323-329. doi:<http://dx.doi.org/10.1370/afm.1278>
127. Look beyond the illness to create discharge plan.(2012). *Hospital Case Management*, 20(7), 101-102.
128. Nickel, S., Trojan, A., & Kofahl, C. (2012). Increasing patient centredness in outpatient care through closer collaboration with patient groups?: An exploratory study on the views of health care professionals working in quality management for office-based physicians in germany. *Health Policy*, 107(2-3), 249-257. doi:<http://dx.doi.org/10.1016/j.healthpol.2012.07.007>
129. Olsson, M., Larsson, L. G., Flensner, G., & Back-Pettersson, S. (2012). The impact of concordant communication in outpatient care planning - nurses' perspective. *Journal of Nursing Management*, 20(6), 748-757. doi:<http://dx.doi.org/10.1111/j.1365-2834.2012.01479.x>
130. Ota, K. S. (2012). The transitionalist: Optimizing inpatient-to-outpatient transitions of care. *Archives of Internal Medicine*, 172(1), 81-2. doi:<http://dx.doi.org/10.1001/archinternmed.2011.611>

131. Raven, M. C., Doran, K. M., Kostrowski, S., Gillespie, C. C., & Elbel, B. D. (2011). An intervention to improve care and reduce costs for high-risk patients with frequent hospital admissions: A pilot study. *BMC Health Services Research*, *11*, 270. doi:<http://dx.doi.org/10.1186/1472-6963-11-270>
132. Rennke, S., Nguyen, O. K., Shoeb, M. H., Magan, Y., Wachter, R. M., & Ranji, S. R. (2013). Hospital-initiated transitional care interventions as a patient safety strategy: A systematic review. *Annals of Internal Medicine*, *158*(5 Pt 2), 433-440. doi:<http://dx.doi.org/10.7326/0003-4819-158-5-201303051-00011>
133. Ritchie, C., Richman, J., Sobko, H., Bodner, E., Phillips, B., & Houston, T. (2012). The E-coach transition support computer telephony implementation study: Protocol of a randomized trial. *Contemporary Clinical Trials*, *33*(6), 1172-1179. doi:<http://dx.doi.org/10.1016/j.cct.2012.08.007>
134. Rydeman, I., Tornkvist, L., Agreus, L., & Dahlberg, K. (2012). Being in-between and lost in the discharge process--an excursus of two empirical studies of older persons', their relatives', and care professionals' experience. *International Journal of Qualitative Studies on Health and Well-being*, *7*(0), 1-9. doi:<http://dx.doi.org/10.3402/qhw.v7i0.19678>
135. Singh, H., Esquivel, A., Sittig, D. F., Murphy, D., Kadiyala, H., Schiesser, R., et al. (2011). Follow-up actions on electronic referral communication in a multispecialty outpatient setting. *Journal of General Internal Medicine*, *26*(1), 64-69. doi:<http://dx.doi.org/10.1007/s11606-010-1501-z>
136. Smith, S. B., & Alexander, J. W. (2012). Nursing perception of patient transitions from hospitals to home with home health. *Professional Case Management*, *17*(4), 175-185. doi:<http://dx.doi.org/10.1097/NCM.0b013e31825297e8>
137. Tapp, H., Phillips, S. E., Waxman, D., Alexander, M., Brown, R., & Hall, M. (2012). Multidisciplinary team approach to improved chronic care management for diabetic patients in an urban safety net ambulatory care clinic. *Journal of the American Board of Family Medicine: JABFM*, *25*(2), 245-246. doi:<http://dx.doi.org/10.3122/jabfm.2012.02.110243>
138. Voss, R., Gardner, R., Baier, R., Butterfield, K., Lehrman, S., & Gravenstein, S. (2011). The care transitions intervention: Translating from efficacy to effectiveness. *Archives of Internal Medicine*, *171*(14), 1232-1237. doi:<http://dx.doi.org/10.1001/archinternmed.2011.278>
139. Wang, S. P., Lin, L. C., Lee, C. M., & Wu, S. C. (2011). Effectiveness of a self-care program in improving symptom distress and quality of life in congestive heart failure patients: A preliminary study. *Journal of Nursing Research*, *19*(4), 257-266. doi:<http://dx.doi.org/10.1097/JNR.0b013e318237f08d>
140. Watkins, L. (2012). An evidence-based strategy for transitioning patients from the hospital to the community. *North Carolina Medical Journal*, *73*(1), 48-50.

141. Weinstock, M. (2012). Smooth transitions. *Hospitals & Health Networks*, 86(1), 10.